



JQ TRADING LIMITED

廣州市君強貿易有限公司

PRODUCT CATALOG 2026 • RFQ, NOT A SHOP

Commercial canopy tents • color, print and size.

Nine product families for international buyers. This is an RFQ catalog, not a shop. Specifications are quoted on request.

BST • THI • AUT • ALU

Printed • Sidewalls

Relief • Banquet • Gazebo

Send a complete RFQ. Do not treat this as a shop.

JQ Trading Limited is the export-facing brand of 廣州市君強貿易有限公司. The catalog helps buyers compare families, pick a footprint, and specify color or print. An RFQ is not an order. Unit prices are not published here. Commercial terms are quote on request.

What to include

- 1. Product family or model
- 2. Size and quantity
- 3. Roof color or print / artwork, plus wall configuration
- 4. Destination and required timing

Public commercial frame

- Pricing: quote on request
- Default MOQ if the quotation is silent: 50 units mixed, or 20 units of the same specification
- Default payment if the quotation is silent: 80 / 20
- Website and catalog data are a sourcing reference; the signed quotation controls the order

Nine families in this edition

01	Standard Steel Canopy BST Series • Commercial value	02	Heavy-Duty Steel Canopy THI Series • 40 mm frame
03	Automatic Opening Canopy AUT Series • Faster setup	04	Aluminum Canopy ALU Series • Lower carry weight
05	Custom Printed Tent Brand visibility • Made to order	06	Canopy with Sidewalls Configurable enclosure
07	Disaster Relief Tent Emergency shelter • Configured to order	08	Banquet Event Tent Large-format shelter • Galvanized frame
09	Garden Gazebo Outdoor shade • Wall and curtain options		

Portable shelters must be anchored and used within confirmed instructions. No portable canopy is presented as suitable for every weather condition.

Pick the footprint first, then the frame family.

Start with the ground area you need. The four pop-up families — BST, THI, AUT and ALU — share the same listed footprints. Banquet tents are a separate large-format construction, not a pop-up SKU.



Hire-yard scale: compact, square and rectangular pop-up footprints side by side.



2 × 2 m / 6 × 6 ft
BST-22 • THI-22 • AUT-22 • ALU-22



3 × 3 m / 10 × 10 ft
Four-leg square • most common start



3 × 4.5 m / 10 × 15 ft
Rectangular six-leg



3 × 6 m / 10 × 20 ft
Twin-peak six-leg



Banquet • large format
Not a pop-up SKU • see banquet family

Also listed: 2 × 3 m / 6 × 10 ft
BST-23, THI-23, AUT-23 and ALU-23 appear in the published model tables. This edition has no isolated 2 × 3 photograph.

One roof color per specification — or a print program.

The lineup shows stock-looking commercial colors used as a visual starting point. Additional colors are made to order. This page is a color reference for the RFQ, not a priced chart and not a retail swatch book.



Stock-looking colors shown: red, royal blue, yellow, black and white. Made-to-order colors follow the approved specification.

Red	Royal blue	Yellow	Black	White	Made to order
-----	------------	--------	-------	-------	---------------

How to specify color

- Choose one roof color for each size and frame specification
- Name wall color separately if walls are required
- If you need a brand color that is not in the lineup, say so on the RFQ


When to choose print instead

- A print program replaces a single flat color on the named panels
- Do not treat this catalog as a SKU picker with every color in stock
- Color and print are confirmed on the written quotation

Roof fabric, coating and finished color can vary by family and quantity. The photograph is a visual guide, not a guarantee of an exact dye lot.

Made-to-order print. Proof before production.

Printed canopies are specified on the RFQ, not selected from a retail SKU list. Artwork can cover roof panels, the valance and optional walls. Vector artwork is preferred. A production proof is approved before printing.



Valance close-up: dye-sub geometric pattern, no lettering.



Distant booth: roof and valance as one print program.

What can be printed

- Roof panels
- Valance
- Optional walls, excluding clear-window areas

How to send artwork

- Vector files preferred for logos and line work
- State panel coverage and which surfaces stay unprinted
- Approve the proof before production

This is a made-to-order print program. Artwork, coverage, color and the proof method are confirmed on the quotation. The geometric blocks shown here are a pattern example, not a house logo.

Tick the scene that matches your program.

Use these photographs as a short-list on the RFQ. They are illustrative settings, not a claim that every family suits every site or weather condition.



Market stall



Cafe terrace



Hire fleet



Trade booth



Country park



Hillside park

Write the scene name on the RFQ together with family, size, color or print, walls, quantity and destination.

30 mm or 40 mm. Steel or aluminum. Named Oxford weights.

These photographs are construction references, not a performance test. Compare the published tube, frame weight and fabric on each family page, then confirm the specification on the quotation.



Steel joint and roof hem



Oxford fabric study



Steel versus aluminum



Removable wall, window, zipper

Standard Steel Pop-Up Canopy Tent



3 × 3 m



Market



Joint

A practical 30 mm powder-coated steel folding canopy for wholesale programs, outdoor promotions and everyday event use. Five footprint options share one clear product family, making specification and replenishment straightforward.

FRAME Powder-coated steel folding frame	MAIN TUBE 30 mm main legs
ROOF 210D, 420D, 600D or 800D Oxford fabric; selected models can use 420D silver-coated roof fabric	COLORS Red, blue and additional made-to-order colors

Published models and shipping data					
MODEL	NOMINAL	IMPERIAL	ASSEMBLED	FRAME WEIGHT	CARTON
BST-22	2 × 2 m	6 × 6 ft	2 × 2 m	9.95 kg	148 × 20 × 20 cm
BST-23	2 × 3 m	6 × 10 ft	2 × 2.94 m	12.90 kg	148 × 27 × 20 cm
BST-33	3 × 3 m	10 × 10 ft	2.9 × 2.9 m	15.00 kg	148 × 20 × 20 cm
BST-345	3 × 4.5 m	10 × 15 ft	2.9 × 4.43 m	18.70 kg	148 × 27 × 20 cm
BST-36	3 × 6 m	10 × 20 ft	2.9 × 5.8 m	25.75 kg	148 × 37 × 20 cm

Best for

- Wholesale programs
- Outdoor promotions
- Markets
- Light commercial use

Heavy-Duty Steel Pop-Up Canopy Tent



3 × 6 m



Hire yard

A thickened 40 mm steel folding canopy developed for repeated commercial handling. Reinforced legs and cross braces give event-rental companies, distributors and promotional teams a more substantial frame platform.

FRAME Thickened powder-coated steel folding frame	MAIN TUBE 40 mm outer legs; reinforced inner legs and cross braces
ROOF 210D, 420D, 600D or 800D Oxford fabric; selected models can use 420D silver-coated roof fabric	COLORS Red, blue and additional made-to-order colors

Published models and shipping data					
MODEL	NOMINAL	IMPERIAL	ASSEMBLED	FRAME WEIGHT	CARTON
THI-22	2 × 2 m	6 × 6 ft	2 × 2 m	15.55 kg	153 × 24 × 24 cm
THI-23	2 × 3 m	6 × 10 ft	2 × 2.94 m	19.20 kg	153 × 29 × 24 cm
THI-33	3 × 3 m	10 × 10 ft	2.9 × 2.9 m	18.20 kg	153 × 24 × 24 cm
THI-345	3 × 4.5 m	10 × 15 ft	2.9 × 4.43 m	23.15 kg	153 × 29 × 24 cm
THI-36	3 × 6 m	10 × 20 ft	2.9 × 5.8 m	32.10 kg	153 × 41 × 24 cm

Best for

- Event rental
- Frequent commercial use
- Brand activations
- Distributors

Automatic Opening Canopy Tent



3 × 3 m



Market

A 30 mm steel folding canopy with an assisted opening mechanism designed to simplify setup and pack-down. It is a practical option for mobile vendors, promotional teams and operators who install shelters frequently.

FRAME Steel folding frame with assisted opening mechanism	MAIN TUBE 30 mm main legs
ROOF 210D, 420D, 600D or 800D Oxford fabric; selected models can use 420D silver-coated roof fabric	COLORS Red, blue and additional made-to-order colors

Published models and shipping data					
MODEL	NOMINAL	IMPERIAL	ASSEMBLED	FRAME WEIGHT	CARTON
AUT-22	2 × 2 m	6 × 6 ft	2 × 2 m	12.85 kg	158 × 22 × 22 cm
AUT-23	2 × 3 m	6 × 10 ft	2 × 2.94 m	16.90 kg	158 × 30 × 22 cm
AUT-33	3 × 3 m	10 × 10 ft	2.9 × 2.9 m	16.80 kg	158 × 22 × 22 cm
AUT-345	3 × 4.5 m	10 × 15 ft	2.9 × 4.43 m	20.60 kg	158 × 30 × 22 cm
AUT-36	3 × 6 m	10 × 20 ft	2.9 × 5.8 m	28.45 kg	158 × 42 × 22 cm


Best for

- Mobile vendors
- Frequent setup
- Promotional teams
- Markets

Aluminum Pop-Up Canopy Tent



3 × 3 m



Steel vs aluminum

A lighter 30 mm aluminum-alloy folding canopy for buyers who move, install and repack their tent frequently. The aluminum frame reduces frame weight and offers strong corrosion resistance for mobile commercial programs.

FRAME Aluminum-alloy folding frame	MAIN TUBE 30 mm main legs
ROOF 210D, 420D, 600D or 800D Oxford fabric; selected models can use 420D silver-coated roof fabric	COLORS Red, blue and additional made-to-order colors

Published models and shipping data					
MODEL	NOMINAL	IMPERIAL	ASSEMBLED	FRAME WEIGHT	CARTON
ALU-22	2 × 2 m	6 × 6 ft	2 × 2 m	7.95 kg	148 × 20 × 20 cm
ALU-23	2 × 3 m	6 × 10 ft	2 × 2.94 m	10.35 kg	148 × 27 × 20 cm
ALU-33	3 × 3 m	10 × 10 ft	2.9 × 2.9 m	9.10 kg	148 × 20 × 20 cm
ALU-345	3 × 4.5 m	10 × 15 ft	2.9 × 4.43 m	12.45 kg	148 × 27 × 20 cm
ALU-36	3 × 6 m	10 × 20 ft	2.9 × 5.8 m	16.90 kg	148 × 37 × 20 cm

Best for

- Mobile sales teams
- Frequent transport
- Markets
- Coastal-use programs

Custom Printed Trade Show Tent



Printed booth



Valance print



Color or print

A branded commercial canopy program combining folding steel or aluminum frames with custom roof, valance and sidewall graphics. Built for distributors, promotional agencies, trade-show teams and multi-location campaigns.

FRAME Standard steel, heavy-duty steel, automatic-opening steel or aluminum	MAIN TUBE 30 mm and 40 mm platforms available
ROOF Oxford roof fabrics with screen, digital, heat-transfer or high-definition print options	COLORS Base fabric and print colors matched to the approved production specification

Best for

- Trade shows
- Brand activations
- Promotional agencies
- Distributor programs

Pop-Up Canopy Tent with Sidewalls



Removable wall



Hospitality


A folding canopy system configured with removable solid, clear-window or door-panel sidewalls. It gives market stalls, event booths and temporary service spaces greater weather protection and visual separation.

FRAME Compatible steel or aluminum folding frame selected to suit the program	MAIN TUBE 30 mm or 40 mm platforms
ROOF Oxford roof with matching or contrasting removable wall panels	COLORS White, blue, red and made-to-order combinations

Best for

- Market booths
- Temporary service spaces
- Outdoor events
- Retail activations

Disaster Relief Shelter Tent



Field use

A framed temporary shelter using thickened corrosion-resistant tubing and waterproof Oxford fabric. The catalogue positions this range for emergency response, field construction and field investigation, with multiple footprints and an optional cotton liner on selected configurations.

FRAME Thickened corrosion-resistant tubular frame; final tube section is confirmed per specification	MAIN TUBE Catalogue lists thickened rust-resistant tubing without a single universal diameter
ROOF Thickened waterproof Oxford fabric; optional cotton liner is listed for the 3 × 4 m configuration	COLORS Blue and white are shown in the catalogue; project colors and printing require confirmation

Catalogue-listed configurations

- 2 × 3 m (6 m²)
- 3.2 × 3.7 m (12 m²)
- 3 × 4 m • optional cotton liner

Best for

- Emergency response
- Field construction
- Field investigation
- Temporary operations

Emergency standards, fire performance, wind-use limits and project-specific compliance must be agreed in the signed specification; no certification is implied by this page.

Banquet and Wedding Event Tent



Large format

A modular arched event shelter with galvanized tubing, 420D high-density silver-coated fabric and optional sidewalls. Twelve catalogue footprints support banquet, community event, temporary dining and vehicle-shelter programs.

FRAME Galvanized tubular frame	MAIN TUBE Tube dimensions and connection details are confirmed for the selected footprint
ROOF 420D high-density silver-coated fabric	COLORS Red, blue and camouflage are listed; additional programs require confirmation

Catalogue-listed configurations

- 3 × 5 m
- 3 × 6 m
- 4 × 6 m
- 5 × 6 m
- 5 × 8 m
- 5 × 10 m
- 5 × 12 m
- 6 × 6 m
- 6 × 8 m
- 6 × 10 m
- 6 × 12 m
- 6 × 15 m

Best for

- Wedding banquets
- Community dining
- Outdoor events
- Temporary vehicle shelter

Site engineering, anchoring, weather limits and local temporary-structure requirements remain project-specific and must be reviewed before use.

Garden Gazebo and Courtyard Pavilion



Hospitality

A decorative courtyard gazebo range shown with double-tier roofs and multiple enclosure treatments. Buyers can compare open-sided, fabric-curtain, mesh-curtain and clear-window configurations for gardens, hospitality areas and leisure spaces.

FRAME Model-specific metal gazebo frame; final material and tube dimensions require quotation confirmation	MAIN TUBE Not standardized in the supplied catalogue page
ROOF Double-tier fabric roof shown across the courtyard pavilion range	COLORS Dark green, wine red, brown, off-white, royal blue and khaki examples are shown

Catalogue configurations

- Open-sided dark green
- Wine-red fabric walls
- Brown clear-window walls
- Off-white clear-window walls
- Royal-blue mesh curtains
- Khaki clear-window walls

Best for

- Gardens and patios
- Hospitality seating
- Outdoor leisure
- Seasonal shade

The supplied catalogue page shows configuration examples but does not publish a unified frame material, size table or weather rating; these are intentionally left for model confirmation.

How to reach the trading company.

Use the confirmed sales contacts for 廣州市君強貿易有限公司. JQ Trading Limited is the export-facing brand name used on this catalog and website.

LEGAL ENTITY 廣州市君強貿易有限公司	BRAND JQ Trading Limited
EMAIL sales@primesourcechina.com	WHATSAPP +86 13500025461
WEBSITE https://primesourcechina.com	CATALOG PAGE https://primesourcechina.com/catalog

Before you send the RFQ

Name the family, size, frame, fabric, color or print, artwork coverage, walls, quantity and destination. Ask for a written quotation and a print proof when artwork is required. Do not treat a website page or this PDF as a binding price, stock list or production instruction.

Catalogue sizes, weights, materials, photos and uses are sourcing references. They may change by model, option, production tolerance or later revision.

九個產品家族

以下摘要僅說明產品家族與適用場景。尺寸、架重與紙箱數據以英文頁及產品頁為準，本頁不另編數字。顏色與印刷在詢價中指定，並於生產前確認打樣。

BST 系列 • 商用性價比

標準鋼架快開帳篷

實用的 30 mm 噴粉鋼架摺疊帳篷，五種出口尺寸共用同一產品家族，方便選型與補貨。

批發項目

戶外推廣

市集

輕商用

THI 系列 • 40 MM 架

加強鋼架快開帳篷

加厚 40 mm 鋼架摺疊帳篷，強化腳管與斜撐，面向反覆搬運的租賃、經銷與推廣團隊。

活動租賃

頻繁商用

品牌活動

經銷商

AUT 系列 • 更快搭收

自動開合帳篷

30 mm 鋼架並帶輔助開合機構，方便流動商販、推廣團隊與經常搭收的使用者。

流動商販

頻繁搭收

推廣團隊

市集

ALU 系列 • 更輕搬運

鋁合金快開帳篷

較輕的 30 mm 鋁合金摺疊帳篷，降低架重並提高耐蝕性，適合頻繁搬運的商用項目。

流動銷售

頻繁搬運

市集

沿海項目

品牌露出 • 按單製作

訂製印刷展覽帳篷

在鋼架或鋁架上配置頂布、裙邊與圍布圖形，面向經銷、推廣代理、展覽與多點活動。

展覽會

品牌活動

推廣代理

經銷項目

可配置圍合

圍布快開帳篷

可拆實心、透明窗或門片圍布，讓市集攤位、活動展位與臨時服務空間更完整。

市集攤位

臨時服務空間

戶外活動

零售快閃

應急遮蔽 • 按規格配置

救災帳篷

加厚耐蝕管材與防水牛津布的臨時遮蔽。目錄列出多個面積，部分配置可選棉內襯。

應急救援

工地

實地調查

臨時作業

大型活動遮蔽 • 鍍鋅架

宴會婚禮帳篷

模組化拱形活動帳篷，鍍鋅管材與 420D 高密銀膠布，十二個目錄尺寸，可選圍布。

婚宴

社區用餐

戶外活動

臨時車輛遮蔽

戶外遮陽 • 圍簾選項

庭園涼亭

雙層頂庭園涼亭，可比較開放、布簾、紗簾與透明窗配置，用於庭園、餐飲與休憩。

庭園露台

餐飲座位

戶外休憩

季節遮陽

這是詢價目錄，不是網店。

JQ Trading Limited 由廣州市君強貿易有限公司營運。產品冊協助買家比較系列並寫出完整詢價。提交詢價不是下單。本目錄不公布單價，商業條件按詢價提供。頂布顏色可選現貨外觀色或按單配色；印刷為按單製作，需提供稿件並於生產前確認打樣。

詢價請寫明 1. 產品系列或型號 2. 尺寸與數量 3. 頂布顏色或印刷稿件、覆蓋範圍與圍布 4. 目的地與時間	已公開的交易框架 • 價格：按詢價提供 • 報價未另訂時的預設起訂：混裝 50 件，或同規格 20 件 • 報價未另訂時的預設付款：80 / 20 • 網頁與產品冊僅供選型參考，最終以書面報價為準
---	---

家族索引

01	標準鋼架快開帳篷 BST 系列 · 商用性價比	02	加強鋼架快開帳篷 THI 系列 · 40 mm 架
03	自動開合帳篷 AUT 系列 · 更快搭收	04	鋁合金快開帳篷 ALU 系列 · 更輕搬運
05	訂製印刷展覽帳篷 品牌露出 · 按單製作	06	圍布快開帳篷 可配置圍合
07	救災帳篷 應急遮蔽 · 按規格配置	08	宴會婚禮帳篷 大型活動遮蔽 · 鍍鋅架
09	庭園涼亭 戶外遮陽 · 圍簾選項		

銷售信箱 sales@primesourcechina.com	WHATSAPP +86 13500025461
網站 https://primesourcechina.com	產品冊頁 https://primesourcechina.com/zh/catalog